AVANTE® garage doors



America's Favorite Garage Doors®

ALUMINUM AND GLASS CONSTRUCTION - MODELS AXU/AX





STYLE AND CONSTRUCTION



- Aluminum frame provides a virtually maintenance-free, long-lasting door.
- Intellicore® polyurethane insulated rails and stiles. (Model AXU)
- R-value 3.8/U-factor 0.86. (Model AXU when glazed with clear insulated glass)
- Many glass and panel options available.
- Section joint seal helps keep out air and water.
- Heavy-duty steel ball bearing rollers with nylon tires provide quiet operation.

*Doors wider that 14' include built-in reinforcing fin. Standard doors 12' and under do not use built-in reinforcing fin. Usage on widths 12'2" to 14' depend upon glass weight. WINDCODE® doors may vary. Contact your Clopay Dealer for details. Calculated door section R-value is in accordance with DASMA TDS-163.

FRAME/SOLID PANEL **COLOR OPTIONS**





Due to the anodizing process, color variation may occur. The use of "Bronze (Painted)" is recommended for a more consistent bronze finish color.

CUSTOM PAINT OPTIONS

Custom colors make Avante® garage doors personal. Choose a Color Blast® finish or RAL Powder Coating to create the perfect door. The only limit is your imagination! See your Clopay Dealer for details.



Model AXU not available with RAL Powder Coat finish.



Avante® garage doors are designed with architects, contractors and homeowners in mind. With a sleek aesthetic and section seal, these doors are the perfect choice to modernize any home. Not only can they transform garages, they can also be used as an indoor loft partition or as versatile solarium doors. Many glass options are available to control the degree of light transmission and privacy.

GLASS/PANEL OPTIONS



Clear Glass*





Gray Tinted Glass* Bronze Tinted Glass*



Mirrored Glass*



Obscure Glass*



White Laminate Glass



Black Laminate Glass



Frosted Glass*



Frosted Acrylic



Clear Acrylic

- Glass available in single pane or insulated (laminated and mirrored glass not available insulated).
- Panels can be aluminum to match the aluminum frame. Glass/acrylic panels may be combined with aluminum panels. Custom glass and colors available.

*Glass is tempered.

Acrylic windows require special cleaning. Never use products that contain ammonia or petroleum products to clean acrylic. Please visit www.clopaydoor.com/acrylic for complete details. See your Clopay Dealer for details.

Or for more information scan the code below.





Gray Acrylic



White Acrylic



Clear Polygal™



Bronze Polygal



Clear Anodized (Color-matched to frame)

WARRANTIES



LIMITED 3YR WARRANTY

HARDWARE

Attractive color-matched aluminum grip handles.

Available in all standard color options.



Doors available to meet many regional wind load requirements.

WindCode® doors over 16' wide may have reinforcement hardware that shows through the glass panels of the door.

PANEL CONFIGURATIONS (Examples of common sizes shown below)


6'6" TO 7'0" HIGH DOORS

3 Panel

9'4" to 13'2" Wide

2 Panel

Up to 9'2" Wide



4 Panel

13'4" to 16'2" Wide

5 Panel 16'4" to 20'0" Wide





Visit clopaydoor.com or call 1-800-2CLOPAY (225-6729) for more information on Clopay, America's Favorite Garage Doors.

Follow us on

















imagine

RSDR-AVANTEAXSS-19_REV0422